

Vista rápida a la instalación de OpenSolaris 2008.11

Jorge Iván Meza Martínez
jimezam@gmail.com

<http://www.jorgeivanmeza.com/>

Obtener el software

- Acceda a la siguiente URL con un navegador web.
<http://www.opensolaris.org/os/downloads>
- Descargue la imagen ISO de la última versión disponible.
- Escriba la imagen en un CDROM.
- Reinicie el equipo haciendo que tome el sistema operativo desde el CDROM recién preparado.

You are not signed in. [Sign in](#) or [register](#).

Quick Links

- Download ON
- Participate in Projects
- Join a User Group
- Contribute a Package

Subsites

- Code Reviews
- Code Repositories
- Package Search
- Bugster
- Bugzilla
- Test Machines
- Blogger Planet
- Mailing Lists

General

- Account Management
- Documentation
- About
- FAQs
- Values
- Events
- News
- Blogs

OpenSolaris Download Center



The majority of OpenSolaris code is released under the [Common Development and Distribution License \(CDDL\) Version 1.0](#).

Source based on existing open source projects will continue to be available under their current licenses. Some binary components are covered under the [OpenSolaris Binary License](#) and some are covered under other open source licenses. Specific download pages provide license information associated with the available component pieces.

Find out quickly if the Solaris OS can run on your x86 system.

- [Solaris OS Hardware Compatibility Lists \(HCL\)](#)
- [Sun Device Detection Tool](#)

Quick Download Links

- OpenSolaris 2008.11
- Solaris Express CE
 - » DVD (b103) (2 Segments)
 - » DVD (b103) (1 Segment)
- ON Consolidation
- BeleniX
- MartUX mBE
- NexentaOS
- SchilliX
- MilaX

Using OpenSolaris

If you want to run a distribution based on OpenSolaris, choose one of these available options:

OpenSolaris 2008.11 - [Release Notes](#)

OpenSolaris 2008.11 is a single CD combined live/install image: a core operating system, kernel, system libraries, a desktop environment and a package management system.

The contents of the OpenSolaris™ 2008.11 Live Media Image are governed by the [Common Development and Distribution License Version 1.0](#) with the exception of certain portions under other licenses (such as the [OpenSolaris Binary License](#)) as provided in the [OpenSolaris Live Media License](#) file included with the software and displayed when booting the Live Media Image. The additional software available from the [OpenSolaris Package Repository](#) and not included on the Live Media Image is governed by the licenses provided in the [OpenSolaris Package Repository License](#) file and/or in the individual software licenses. All of these licenses permit use, modification and distribution of the software.

Inicio de la instalación

- En el GRUB seleccione la primera opción:
OpenSolaris 2008.11 snv_101b_rc2 x86
- Presione **Enter**.

GNU GRUB version 0.95 (639K lower / 523200K upper memory)

```
OpenSolaris 2008.11 snv_101b_rc2 X86
OpenSolaris 2008.11 snv_101b_rc2 X86 text console
Boot from Hard Disk
OpenSolaris 2008.11 snv_101b_rc2 X86 with magnifier
OpenSolaris 2008.11 snv_101b_rc2 X86 with screen reader
```

Use the ↑ and ↓ keys to select which entry is highlighted.
Press enter to boot the selected OS, 'e' to edit the
commands before booting, or 'c' for a command-line.



Selección de la distribución del teclado

- Escriba el código de la distribución del teclado elegida.
 - **41** US English.
 - **20** Latin American.
 - **33** Spanish.
- Presione **Enter**.

Preparing live image for use

Done mounting Live image

USB keyboard

- | | |
|---------------------|---------------------------|
| 1. Albanian | 22. Latvian |
| 2. Belarusian | 23. Macedonian |
| 3. Belgian | 24. Malta_UK |
| 4. Bulgarian | 25. Malta_US |
| 5. Croatian | 26. Norwegian |
| 6. Czech | 27. Polish |
| 7. Danish | 28. Portuguese |
| 8. Dutch | 29. Russian |
| 9. Finnish | 30. Serbia-And-Montenegro |
| 10. French | 31. Slovenian |
| 11. French-Canadian | 32. Slovakian |
| 12. Hungarian | 33. Spanish |
| 13. German | 34. Swedish |
| 14. Greek | 35. Swiss-French |
| 15. Icelandic | 36. Swiss-German |
| 16. Italian | 37. Traditional-Chinese |
| 17. Japanese-type6 | 38. TurkishQ |
| 18. Japanese | 39. TurkishF |
| 19. Korean | 40. UK-English |
| 20. Latin-American | 41. US-English |
| 21. Lithuanian | |

To select the keyboard layout, enter a number [default 41]:41_

Selección del idioma del escritorio

- Escriba el código del idioma elegido para el escritorio.
 - **3** English.
 - **11** Spanish.
- Presione **Enter**.

- | | |
|---------------------|-------------------------|
| 11. French-Canadian | 32. Slovakian |
| 12. Hungarian | 33. Spanish |
| 13. German | 34. Swedish |
| 14. Greek | 35. Swiss-French |
| 15. Icelandic | 36. Swiss-German |
| 16. Italian | 37. Traditional-Chinese |
| 17. Japanese-type6 | 38. TurkishQ |
| 18. Japanese | 39. TurkishF |
| 19. Korean | 40. UK-English |
| 20. Latin-American | 41. US-English |
| 21. Lithuanian | |

To select the keyboard layout, enter a number [default 41]:41

1. Chinese - Simplified
2. Chinese - Traditional
3. English
4. French
5. German
6. Italian
7. Japanese
8. Korean
9. Portuguese - Brazil
10. Russian
11. Spanish

To select desktop language, enter a number [default is 3]: 3

Inicio del instalador gráfico

- Acceda al escritorio del live-cd.
- Haga doble clic sobre el ícono **Install OpenSolaris**.

- 
OpenSolaris
- 
Device Driver Utility
- 
Getting Started With OpenSolaris
- 
Install OpenSolaris



Bienvenido al instalador gráfico

- Presione el botón **Next** para continuar.

OpenSolaris 2008.11 Installer



Welcome

OpenSolaris 2008.11

Welcome

Disk

Time Zone

Locale

Users


Installation

Finish

Thanks for choosing to install the OpenSolaris OS! Before you start, review the Release Notes for this release for a list of known problems. For detailed step-by-step procedures for completing this installation, refer to "Getting started with OpenSolaris 2008.11" at opensolaris.org.

This installer will not upgrade existing installations of OpenSolaris. If you would like to upgrade an existing installation, refer to "Getting started with OpenSolaris 2008.11" at opensolaris.org

[Release Notes](#)




Quit



Help



Back



Next

laris

Particionar el disco duro

- Elija la opción deseada.
 - Utilizar el disco completo (*use the whole disc*).
 - Particionar el disco (*partition the disk*).
- Seleccione el tipo de partición (*partition type*) y el tamaño (*size*).
- Al menos una partición deberá ser de tipo **OpenSolaris**.
- Presione el botón **Next** para continuar.

OpenSolaris 2008.11 Installer



Disk

Welcome

Disk

Time Zone

Locale

Users

Installation

Finish

Where should OpenSolaris be installed?

Recommended size: 8GB Minimum: 3.1GB



20.0GB ATA

⚠ The entire disk will be erased

OpenSolaris can be installed on the whole disk or on a partition on the disk.

Use the whole disk

Partition the disk

⚠ The following partition is proposed. The existing partition table cannot be read. There must be one Solaris partition. It will be the target for this installation.

Partition Type Size (GB)




Solaris 20.0 **⚠ Warning:** The data in this partition will be erased.

Unused 0.0 **⚠ Warning:** The data in this partition will be erased.

Unused 0.0 **⚠ Warning:** The data in this partition will be erased.

Unused 0.0

Available Space: -0.0 Type "=" into any partition size to adjust the available disk space.



laris

Selección de la zona horaria, fecha y hora


- Especifique los siguientes datos relacionados con el tiempo.
 - Región: **Americas.**
 - Ubicación: **Colombia.**
 - Zona horaria: **Colombia.**
 - Fecha: YYYY-MM-DD.
 - Hora.
- Presione **Next** para continuar.



Time Zone, Date and Time

Select a city near you on the map or set your time zone below, then set the date and time.

- Welcome
- Disk
- Time Zone
- Locale
- Users
- Installation
- Finish







Region: Americas

Location: Colombia

Time Zone: Colombia

Date: 2008 - 12 - 11 YYYY - MM - DD

Time: 20 : 43 24 Hour

Información del escenario

- Seleccione el escenario apropiado para su ubicación: soporte de lenguaje y formato de datos.
 - **English.**
 - **Spanish.**
- Presione **Next** para continuar.



Locale

Set the default language support and locale specific data formats.


- Welcome
- Disk
- Time Zone
- Locale**
- Users
- Installation
- Finish

Language:


- No default language support
- Chinese-Simplified
- Chinese-Traditional
- English**
- French
- German
- Italian
- Japanese
- Korean
- Portuguese
- Russian
- Spanish

Territory:

 Quit

 Help

 Back

 Next

OpenSolaris

Administración inicial de usuarios

- Ingrese la contraseña del usuario **root** y confírmela.
- Ingrese la información de un usuario sin privilegios.
 - Nombre real.
 - Nombre de usuario.
 - Contraseña y confirmación.
- Nombre de la estación (*hostname*).
- Presione **Next** para continuar.



Users

Welcome

Disk

Time Zone

Locale

Users

Installation

Finish

Enter a root password for this system.

Root password:

Confirm password: Re-enter to check for typing errors.

Create a user account for yourself.

Your name:





Log-in name: Required when creating a user account.

User password:

Confirm password: Re-enter to check for typing errors.

Enter a computer name for this system.

Computer name:



laris

Revisar las opciones de instalación

- Revise las opciones de instalación recién elegidas.
- Presione el botón **Back** y realice las modificaciones que requiera.
- Presione el botón **Install** para el proceso final de la instalación.
- La copia de archivos puede tomar un tiempo prolongado.




Installation

Review the settings below before installing. Click the back button to make changes.

- Welcome
- Disk
- Time Zone
- Locale
- Users
- Installation**
- Finish

Disk

- 20.0 GB partition on 20.0 GB disk (ATA)  This partition will be erased
- The whole installation will take up 3.1GB hard disk space.

Software

- OpenSolaris 2008.11
- Desktop (GNOME 2.24)

Timezone


- America/Bogota

Locale

- Default Language: English (United States)
- Language Support: English

Users

- User Account: jimezam
- Host name: opensolaris



Finalización de la instalación

- Terminada la copia de archivos.
- Presione el botón **Reboot** para reiniciar el equipo.
- Remueva el medio de instalación de la unidad de CDROM.
- Acceda al sistema operativo recién instalado.

OpenSolaris 2008.11 Installer



Finished



- Welcome
- Disk
- Time Zone
- Locale
- Users
- Installation
- Finish**

**OpenSolaris 2008.11 installation is complete.
Review the OpenSolaris installation log for more information.**

[OpenSolaris installation log](#)

Installation is complete. Click "Reboot" to start the system.

The system may take a few minutes to shut down and reboot.



OpenSolaris

Inicio de sesión

- Ingrese el **nombre de usuario** y **contraseña** del usuario creado durante el proceso de instalación.
- Presione el botón **OK** para continuar.



Welcome to opensolaris

Please enter your username

Username:

Options

Start Again

OK

Actualizar al sistema operativo

- Haga doble clic sobre el ícono **Add more software**.
- Presione el botón **Reload**.
- Elija los paquetes/actualizaciones que desee instalar.
- Presione el botón **Update**.
- Cierre la aplicación para terminar.

OpenSolaris

Start Here

Register OpenSolaris

Add More Software

Package Manager

File Edit Package Settings Help

Reload Update Click to update all installed packages. Repository: opensolaris.org

All Show: All Packages Search:

	Name	Status	Description
<input type="checkbox"/>	amp		...
<input type="checkbox"/>	amp-dev		...
<input type="checkbox"/>	babel_install		...
<input type="checkbox"/>	BRCMbnx	<input checked="" type="checkbox"/>	Broadcom NetXtreme II Gigabit
<input type="checkbox"/>	clustertools		...
<input type="checkbox"/>	clustertools_7.1		...
<input type="checkbox"/>	clustertools_8.1		...
<input type="checkbox"/>	dtrace-gui-plugin		...
<input type="checkbox"/>	eclipse		...

PACKAGE NAME
Short description

General Info Files Details Dependencies Legal

1506 packages listed, 554 installed, 0 selected, 0 broken.

OpenSolaris

Cerrar sesión

- Elija el menú **System**.
- Haga click sobre la opción **Shut down**.

- OpenSolaris
- Start Here
- Register OpenSolaris
- Add More Software

- Preferences
- Administration
- Help
- About OpenSolaris
- About GNOME
- Lock Screen
- Log Out jimezam...
- Shut Down...

Shut down the computer



Confirmar el cierre de sesión

- Presione el botón **Shut down**.


- OpenSolaris
- Start Here
- Register OpenSolaris
- Add More Software

 **Shut down this system now?**

You are currently logged in as "Jorge I. Meza".
This system will be automatically shut down in 50 seconds.



Fin de la presentación



Creative Commons NC-SA